

Subject Project Repack
Start project 2021
Commissioning 2022



CASE:

A number of barrels, of which the UN quality mark had expired, were stored at a partner of Envigroup. Due to the expiration of the UN quality mark, these barrels were not allowed to be transported. The partner had asked multiple companies for a solution to this problem. This led to multiple solutions offered, which varied from repacking the barrels' contents to placing the barrels in bigger, new, barrels. As a solution to this problem, Envigroup have made flexible, custom IBC's with a valid UN quality mark. These IBC's have been used as "over-packaging". In each one of these IBC's multiple barrels have been placed. These IBC's filled with barrels are transported to Fortum Waste Solutions in Denmark.

IMPORTANT CUSTOMER FACTORS:

- In compliance with the law and legislation
- Safety in the form of correct PMB's and tools
- Trained personnel with the right expertise
- Knowledge of the waste and the way the waste needs to be processed
- Experience in logistics
- Rate
- Processing time

■ IMPORTANT FACTORS:

- It was waste polluted with sulphuric acid
- The barrels had been stored for over 5 years
 The exact number of barrels was unknown
- Weight of the barrels varied from 10 to 80 kilograms
- Total number of barrels was approximately 7.000
- Preparation took 6 months
- Implementation took 10 weeks with 4 employees

EXPLANATION PROJECT

Envigroup accepted the case and carried out this project itself and for their own cost. The barrels have been packed in the "over-packaging", placed on new pallets, labeled and. The transported waste has been processed by Fortum Waste Solutions in Denmark. Envigroup applied for the export waiver and regulated planning..



Envigroup BV Eenspan 32A 3897 AL Zeewolde The Netherlands +31 (0) 33 4840022 info@envigroup.nl NIWO certification VIHB 533923XXHB CoC number: 76481476 VAT no. NL860639526B01 Exclusive agent of Fortum Waste Solutions in the BeNeLux, Norh Rhine Westphalia and Cariben.



Keep it simple































